

## Solutions

1. Ans. B.

6, 8, 13, 23, ?, 56

The series follow double step difference.

$$8 - 6 = 2$$

$$13 - 8 = 5 \quad (5-2 = 3)$$

$$23 - 13 = 10 \quad (10-5 = 5)$$

$$? - 23 = x \quad (x-10 = 7, \text{ i.e. } x = 17)$$

$$\text{Thus, } ? = 17 + 23 = 40$$

2. Ans. A.

7, 8, 18, 57, 232, ?

$$8 = 7 \times 1 + 1$$

$$18 = 8 \times 2 + 2$$

$$57 = 18 \times 3 + 3$$

$$232 = 57 \times 4 + 4$$

$$1165 = 232 \times 5 + 5$$

3. Ans. D.

8, 5, 6, 10, 21, ?

$$5 = 8 \times 0.5 + 1$$

$$6 = 5 \times 1 + 1$$

$$10 = 6 \times 1.5 + 1$$

$$21 = 10 \times 2 + 1$$

$$? = 21 \times 2.5 + 1 = 53.5$$

4. Ans. C.

4, 18, 46, 102, ?, 438

$$18 = 4 + (7 \times 2)$$

$$46 = 18 + (7 \times 4)$$

$$102 = 46 + (7 \times 8)$$

$$? = 102 + (7 \times 16), \text{ i.e. } ? = 214$$

$$438 = 214 + (7 \times 32)$$

5. Ans. B.

109, 110, 102, 129, 65, ?

$$110 = 109 + 1^3$$

$$102 = 110 - 2^3$$

$$129 = 102 + 3^3$$

$$65 = 129 - 4^3$$

$$? = 65 + 5^3, \text{ i.e. } ? = 190$$

6. Ans. B.

$$\text{Required ratio} = 1715 : 1250 = 343 : 250$$

7. Ans. C.

$$\text{Required total number of sales} = 15.5 + 13.5 + 7.5 +$$

$$5.6 + 16.3 + 13.5 = 71900$$

8. Ans. A.

$$\text{Shop P's sales} = 91.4$$

$$\text{Shop Q's sales} = 65.05$$

$$\text{Shop R's sales} = 71.9$$

$$\text{Shop S's sales} = 43.8$$

$$\text{Shop a T's sales} = 46.8$$

9. Ans. C.

$$\text{Required difference} = 6.3 - 5.9 = 0.4$$

10. Ans. C.

$$\text{Required total number of sales} = 14.4 + 7.4 + 15.7 = 37.5$$

11. Ans. B.

Take nearest values

$$(15)^2 + (19.99)^2 + (24.001)^2 = 225 + 400 + 576 = 1200$$

(approx)

12. Ans. C.

$$12.25 \times ? \times 21.65 = 3545.64 + 23.36$$

$$12 \times ? \times 22 = 3546 + 23$$

$$? = 3569 / 264 = 13$$

13. Ans. B.

$$? = (1005/80) = 12.5625 = 13 \text{ (Approx)}$$

14. Ans. B.

$$? = 605 \times \frac{125}{100} + 218 \times \frac{4}{5}$$

$$? = 605 \times \frac{5}{4} + 218 \times \frac{4}{5}$$

$$? = \frac{3025}{4} + \frac{872}{5}$$

$$? = 756.25 + 174.4$$

$$? = 930.65$$

$$? = 931 \text{ (Approx.)}$$

15. Ans. B.

Take nearest values

$$\sqrt{580} \times \sqrt[3]{510} + 49.999 \times 3.999 = ?$$

$$24 \times 8 + 200 = 392$$

16. Ans. C.

$$4005.33 \div 19.89 \times 1.9 = 4005 \div 20 \times 2 = 400.5 = 400$$

(Approx.)

Hence option C is correct

17. Ans. E.

$$15 \times 12 + 41 \times 21 = ?$$

$$180 + 861 = 1041$$

18. Ans. A.

$$23 \times 17.5 \approx 403 \text{ \& } 321 \div 52 \approx 6$$

$$\text{Then, } 403 + 64 - 6 = 466 - 6 = 460$$

19. Ans. D.

$$\frac{7}{8} \times 616 \times 12 \div 16 + ? = 323 + 81 + \frac{4}{3} \times ?$$

$$539 \times 12 \div 16 + ? = 404 + \frac{4}{3} \times ?$$

$$539 \times \frac{3}{4} + ? = 404 + \frac{4}{3} \times ?$$

$$\therefore \frac{4}{3} \times ? - ? = \frac{(1617 - 1616)}{4}$$

$$\therefore ? = \frac{3}{4}$$

20. Ans. B.

$$16.007 \times 14.995 \times 6.080 = ?$$

Approx Value =  $16 \times 15 \times 6$   
= 1440

21. Ans. C.

$$? \% \text{ of } 780 = ? \times 780 / 100 = 7.8?$$

Hence  $? \% \text{ of } 780 - 335 = 250 \rightarrow 7.8? = 250 + 335 = 585$   
 $? = 585 / 7.8 = 75$

22. Ans. A.

$$\sqrt{?} - 21 = \sqrt{1521} + \sqrt{576} \rightarrow \sqrt{?} - 21 = 63$$
$$\sqrt{?} = 84 \rightarrow 7056$$

23. Ans. E.

$$(2\sqrt{2 \times 2 \times 2 \times 7 \times 7} - 21) + (\sqrt{2 \times 2 \times 2} - 7)^2 = (a)^2$$
$$(2 \times 14\sqrt{2} - 21) + (2\sqrt{2} - 7)^2 = (a)^2$$
$$28\sqrt{2} - 21 + 8 + 49 - 28\sqrt{2} = (a)^2$$
$$28\sqrt{2} - 21 + 57 - 28\sqrt{2} = (a)^2$$
$$36 = (a)^2$$
$$a = 6$$

24. Ans. C.

$$\frac{8.5}{0.25} + \frac{4.4}{0.2} = \frac{x}{100} \times 80$$
$$34 + 22 = 0.8x$$
$$56 = 0.8x$$
$$x = 70$$

25. Ans. B.

$$1456 \div 16 \times 14 + 22 = (?)^2$$
$$91 \times 14 + 22 = (?)^2$$
$$1274 + 22 = (?)^2$$
$$(?)^2 = (36)^2$$
$$? = 36$$

26. Ans. D.

Let the speed of stream be  $x$  kmph. Therefore,  
Downstream speed = 16 kmph  
Upstream speed = 11 kmph  
Thus, the speed of stream =  $(16-11)/2 = 2.5$  kmph  
Hence, option D is correct.

27. Ans. A.

$$\text{Principal} = \frac{1200 \times 100}{4 \times 8} = \text{Rs. } 3750$$
$$\text{New principal} = 3 \times 3750$$
$$\text{Simple Interest} = \frac{3 \times 3750 \times 6 \times 3}{100} = \text{Rs. } 2025$$

Hence option A is correct

28. Ans. A.

$$CI = 1800 \left[ \left( 1 + \frac{4}{100} \right)^2 - 1 \right] = 1800 \times \left( \frac{676}{625} - 1 \right)$$
$$= 1800 \times \frac{51}{625} = \text{Rs. } 146.88$$

29. Ans. B.

C.P. of 20 kg of rice =  $(672/14) \times 20 = \text{Rs. } 960$   
C.P. of 15 kg of wheat =  $(432/12) \times 15 = \text{Rs. } 540$   
C.P. of 16kg of sugar =  $(504/18) \times 16 = \text{Rs. } 448$   
Total cost =  $960 + 540 + 448 = \text{Rs. } 1948$   
Hence option B is correct

30. Ans. A.

Capital of A is employed in business for 10 months = Rs 16000  
Capital of B is employed for 8 months =  $5/8 \times 16000 = \text{Rs } 10000$   
Capital of C is employed for 6 months = Rs 8000  
Thus the ratio of distribution of profit = A : B : C  
=  $16000 \times 10 : 10000 \times 8 : 8000 \times 6 = 160:80:48$   
= 10:5:3  
Therefore the share of B =  $5/18 \times 6336 = \text{Rs } 1760$   
Hence Option A is correct

31. Ans. E.

Let Samir's monthly salary be Rs.  $x$ .  
According to the question,  
 $x - (52+23)\% \text{ of } x = 4500$   
 $x - 75\% \text{ of } x = 4500$   
 $25\% \text{ of } x = 4500$   
 $x = \frac{4500 \times 100}{25} = \text{Rs. } 18000$

32. Ans. D.

Suppose the ages of Nishi and Vinnee are  $6x$  and  $5x$  yr.  
 $\therefore \frac{6x+9}{5x+9} = \frac{9}{8}$   
 $48x + 72 = 45x + 81$   
 $48x - 45x = 81 - 72$   
 $3x = 9$   
 $x = 3$   
Required difference,  
 $6x - 5x = x = 3\text{yr}$

33. Ans. B.

Let cost price =  $cp$   
 $\Rightarrow 7200 = CP(100-25)/100$   
 $CP = 9600$   
Selling price to gain 25% profit  
 $\Rightarrow 9600 + 9600 \times 25/100$   
= Rs.12000

34. Ans. C.

Speed of the Car =  $\frac{540}{9} = 60 \text{ km/hr}$   
Speed of train =  $2 \times 60 = 120 \text{ km/hr}$   
Speed of bike =  $2/3 \times 120 = 80 \text{ km/hr}$   
Distance covered by bike in 5 h =  $80 \times 5 = 400 \text{ km}$   
Hence option C is correct

35. Ans. A.

$$\begin{aligned} \text{Required days} &= \frac{5}{8 \times 20} + \frac{8}{32 \times 8} \\ &= \frac{2}{32} \\ &= 16 \text{ days} \end{aligned}$$

36. Ans. B.

Perimeter of the square = 72 cms  
 Side of the square =  $72/4 = 18$  cms  
 Perimeter of the rectangle =  $72/2 = 36$  cms  
 Breadth of the rectangle =  $36/2 - 12 = 6$  cms  
 Required difference =  $18 - 6 = 12$  cms  
 Hence Option B is correct

37. Ans. A.

There are total 12 balls in a buckets.  
 Required Probability .

$$\begin{aligned} P(E) &= \frac{n(E)}{n(S)} \\ &= \frac{4}{12} \times \frac{6}{11} \times \frac{2}{10} \times 3! \\ &= \frac{4}{12} \times \frac{6}{11} \times \frac{2}{10} \times 6 = \frac{12}{55} \end{aligned}$$

38. Ans. E.

ARMOUR = 6 letters whereas R repeated twice

$$\therefore \frac{6!}{2!} = \frac{6 \times 5 \times 4 \times 3 \times 2 \times 1}{2 \times 1} = 360$$

39. Ans. A.

Suppose cost price = ₹ x  
 90% of 15000 = 108% of x

$$15000 \times \frac{90}{100} = x \times \frac{108}{100}$$

$$150 \times 90 = x \times \frac{108}{100}$$

$$x = \frac{150 \times 90 \times 100}{108}$$

$$x = ₹ 12500$$

40. Ans. B.

$$\frac{x+y}{2} = 27$$

$$\Rightarrow x + y = 54 \dots \dots \dots \text{(i)}$$

$$\Rightarrow x - y = 30 \dots \dots \dots \text{(ii)}$$

$$\text{so, } x = 42 \text{ and } y = 12$$

41. Ans. D.

After arranging,  
 GHC LAT MKU BGP SRW  
 GHC, BGP and SRW have more than two different consonants.

42. Ans. B.

After arranging,  
 HGB SLA TMK OGB VSR  
 Only SLA ends with vowel.

43. Ans. A.

Second letter of the last word from the left is 'R'.  
 Third letter of the fourth word from the right is 'S'.  
 So between R and S there is no letter in English alphabetical series.

44. Ans. B.

After arranging,  
 SRV MKT LAS GHB BGO  
 LAS is third from right.

45. Ans. B.

After arranging,  
 HIC MAT NLU CHO TSW  
 In TSW have no vowels.

46. Ans. D.

Explanation

The number after rearrangement will be 832690714435  
 Third from the left end after the rearrangement is = 2

47. Ans. D.

Explanation

R	E	C	O	V	E	R	E	D
18	5	3	15	22	5	18	5	4

There are four such pairs

48. Ans. A.

Given statement-  
 $K > P > Q \geq T$ ,  $K = Y$ ,  $K \leq Z$   
 for conclusion

I.  $Y > T$   
 $Y = K > P > Q \geq T$

$Y > T$  ---- True  
 for conclusion

II.  $T > Z$   
 $Z \geq K > P > Q \geq T$

$T > Z$  ---- false

Hence, only conclusion I is true.

49. Ans. D.

Given statement -  $A \geq Q$ ,  $B \leq T$ ,  $A = B$ ,  
 for conclusion

I.  $B = Q$   
 $B = A \geq Q$   
 $B = Q$  is false

II.  $A > Q$   
 $A \geq Q$

$A > Q$  is false

Hence, neither conclusion I nor II is true.

50. Ans. D.

Given Statement:

$Z \leq A, A > R, A = W$

for the conclusion I

$Z \leq A > R$

I.  $R < Z$  --- is false

for the conclusion II

$Z \leq A = W$

II.  $Z < W$  --- is false

Hence, neither conclusion I nor II is true.

51. Ans. C.

Given statement:

$A = Y \leq C > W$

for the conclusion I

$A = Y \leq C$

$A \leq C$

I.  $C = A$  --- is false

for the conclusion II

$A = Y \leq C$

$A \leq C$

II.  $C > A$  --- is false

But this forms complementary pairs, hence either conclusion I or II is true.

52. Ans. D.

Given statement:

$K < M, Y = X < Z, K < Y$

Conclusions:

for conclusion I

$Y > K < M$

I.  $Y > M$  --- false

for conclusion II

$Z > X = Y > K < M$

II.  $M > Z$  --- false

Hence, neither conclusion I nor II is true.

53. Ans. D.

Floor	Person
7	I
6	L
5	N
4	K
3	M
2	J
1	O

I lives on 7th floor

54. Ans. A.

Floor	Person
7	I
6	L
5	N
4	K
3	M
2	J
1	O

None person lives between L and N

55. Ans. B.

Floor	Person
7	I
6	L
5	N
4	K
3	M
2	J
1	O

J lives on floor numbered 2

56. Ans. C.

Floor	Person
7	I
6	L
5	N
4	K
3	M
2	J
1	O

Five person lives between I and O.

57. Ans. A.

Floor	Person
7	I
6	L
5	N
4	K
3	M
2	J
1	O

If K interchanges his floor with the one who lives on floor number two, then N lives exactly between L and J.

58. Ans. C.

Given arrangement -

1 5 8 4 2 1 5 2 3 4 5 6 7 8 9 5 1 4 1 5 6 8 7 4

9<sup>th</sup> from the left 21<sup>st</sup> from left means:  $21 - 9 = 12^{\text{th}}$  from the left end of the arrangement, i.e, 6.

Hence, option C is correct.

59. Ans. D.

Given arrangement -

1 5 8 4 2 1 5 2 3 4 5 6 7 8 9 5 1 4 1 5 6 8 7 4

There are only three pairs -

158, 152 and 156

60. Ans. B.

Given arrangement -

1 5 8 4 2 1 5 2 3 4 5 6 7 8 9 5 1 4 1 5 6 8 7 4

There is only pairs -

14

61. Ans. C.

Given arrangement -

1 5 8 4 2 1 5 2 3 4 5 6 7 8 9 5 1 4 1 5 6 8 7 4

There are only two such combination -

84 and 74

62. Ans. A.

If all the even digit are deleted from the above arrangement, therefore, new arrangement

1 5 1 5 3 5 7 9 5 1 1 5 7

tenth from the right end of the arrangement is 5

Hence, option A is correct.

63. Ans. B.




Position of B from the left end = Total students - Right end + 1

$$= 54 - 20 + 1 = 35$$

No of students between A and B =  $35 - 15 - 1 = 19$  students

64. Ans. A.




Prakash started at A and walked 30 metres towards West and reached at B, now he took left turn and walked 20 m and reached C, now he took left turn and walked 30m to reach at D, now he turned into right, therefore he was facing south after stopping.

65. Ans. B.

L, Q

If P is taller than only Q we can infer that Q is the shortest. Similarly if S is shorter than only L, we get to know that L is the tallest.


66. Ans. D.



Except in VW, in all others first person is second to the left of the second person

Hence option D is correct


67. Ans. C.



Two persons R and P


Hence option C is correct

68. Ans. B.




T and S sit at the extreme corners of the line

69. Ans. A.



T is second to the left of V

70. Ans. A.



Hence option A is correct

71. Ans. E.

$3\%85\#6 = FKUDVT$  (Condition 3 is applicable)

72. Ans. C.

$\#8@7\$\$9 = VUXPXS$  (Condition 2 is applicable)

73. Ans. B.

$7\%96*5 = FKSPBD$  (None of the condition is applicable. Hence, the code will be coded as given in the question)

74. Ans. B.


$4\&86\%7 = ANGGKP$  (Condition 1 is applicable)

75. Ans. E.

$9\%8\$\$6 = FKUQBS$   
(condition 3 applicable)

76. Ans. A.

The Venn Diagram for the above relation is as follows:




Thus only Conclusion I follow.

Hence Option A is correct

77. Ans. B.


The Venn Diagram for the above relation is as follows:



Clearly only Conclusion II follows.  
Hence Option B is correct

78. Ans. A.


The Venn Diagram for the above relation is as follows:



Thus only Conclusion I follows.  
Hence Option A is correct

79. Ans. B.


The Venn Diagram for the above relation is as follows:



Thus only Conclusion II follows.  
Hence Option B is correct, as no air is solid and some solid are liquids. So, some airs are definitely not liquids.

80. Ans. E.

The relation depicted in the above question is as follows:



Thus both the conclusion follows.  
Hence Option E is correct

\*\*\*